



36 Draffin Road, Hilton, NY 14468 Phone: 800-828-6351 585-392-3434 Fax: 585-392-2691  
EMERGENCY NUMBERS: CHEMTREC (800) 424-9300 Monroe Fluid Technology (800) 828-6351  
Website: <http://www.monroefluid.com>

## Material Safety Data Sheet

Product Name: **MONROE GRIND 60** Effective Date: 04/28/08 Date Printed: 06/10/08 Page: 1

### HMIS Rating:

Health: 1 Flammability: 1 Reactivity: 0 Personal Protection: B

### 1) INGREDIENTS: (% wt., unless otherwise noted)

CHEMICAL NAME	CAS #	%
Severely Solvent Refined Light Paraffinic Residuum	64741-89-5	90-100

This document is prepared pursuant to the OSHA Hazard Communication Standard (29 CFR 1910.1200). In addition, other substances not "Hazardous" per this OSHA Standard may be listed. Where proprietary ingredient shows, the identity may be made available as provided in this standard.

### 2) PHYSICAL DATA:

Vapor Pressure:	No data
Vapor Density:	No data
Solubility In Water:	Nil
Sp. Gravity: @ 60° F.	0.855 ± 0.01
Appearance:	Pale Amber clear liquid
Odor:	Bland odor

### 3) FIRE AND EXPLOSION HAZARD DATA:

Flash Point:	410° F.
Method Used:	COC

#### FLAMMABLE LIMITS:

LFL:	Not Determined
UFL:	Not Determined

EXTINGUISHING MEDIA: Water spray, chemical foam, dry chemical powder or carbon dioxide

FIRE & EXPLOSION HAZARDS: Intense heat may cause drums to rupture. Cool fire-exposed surfaces.

FIRE-FIGHTING EQUIPMENT: Treat as hot oil. Firefighters should wear NIOSH-approved self-contained breathing apparatus.

### 4) REACTIVITY DATA:

STABILITY: (conditions to avoid) Stable under normal use and storage

INCOMPATIBILITY: (specific materials to avoid) Strong oxidizing agents

HAZARDOUS DECOMPOSITION PRODUCTS: Thermal decomposition may produce oxides of C, S.

HAZARDOUS POLYMERIZATION: Will not occur

### 5) ENVIRONMENTAL AND DISPOSAL INFORMATION:



36 Draffin Road, Hilton, NY 14468 Phone: 800-828-6351 585-392-3434 Fax: 585-392-2691  
EMERGENCY NUMBERS: CHEMTREC (800) 424-9300 Monroe Fluid Technology (800) 828-6351  
Website: <http://www.monroefluid.com>

## Material Safety Data Sheet

Product Name: **MONROE GRIND 60** Effective Date: 04/28/08 Date Printed: 06/10/08 Page: 2

**ACTION TO TAKE FOR SPILLS/LEAKS:** Treat as oil spill. Contain spill, collect onto inert absorbent. Do not flush into drain or sewers. Place in a DOT container for disposal.

**DISPOSAL METHOD:** Dispose of in accordance with federal, state and local regulations.

### 6) HEALTH HAZARD DATA:

**EYE:** Contact may cause irritation.

**SKIN CONTACT:** Prolonged contact may cause irritation.

**SKIN ABSORPTION:** Not likely to occur

**INGESTION:** Small amounts ingested incidental to normal handling are not likely to cause injury; larger quantities ingested may cause injury. May cause some nausea.

**INHALATION:** Inhalation of vapors or mist may be irritating to respiratory passages.

**SYSTEMIC (other target organ) EFFECTS:** None known

**TERATOLOGY (birth defects):** No adverse effects expected

**REPRODUCTIVE EFFECTS:** No adverse effects expected

**MUTAGENICITY (effects on genetic material):** No adverse effects expected

**CARCINOGENICITY:** IARC: NO NTP: NO OSHA: NO

### 7) FIRST AID:

**EYES:** Flush with large amounts of water for 15 minutes. If irritation persists, consult a physician.

**SKIN:** Wash off with soap in flowing water or shower.

**INGESTION:** Do not induce vomiting. Do not administer liquids. Obtain medical assistance.

**INHALATION:** Remove to fresh air. If symptoms persist, consult a physician.

**NOTE TO PHYSICIAN:** Treatment of overexposure should be directed toward the control of symptoms and the clinical condition.

### 8) HANDLING PRECAUTIONS:

#### EXPOSURE GUIDELINE:

Severely Solvent Refined Light Paraffinic Residuum: (Mist) OSHA PEL & ACGIH TLV: 5 mg/m<sup>3</sup>

**VENTILATION:** General room ventilation should be satisfactory. Local exhaust ventilation may be necessary if misting is generated.

**RESPIRATORY PROTECTION:** None normally required. If mist is in excess of 5 mg/m<sup>3</sup>, use NIOSH-approved respirator.

**SKIN PROTECTION:** Oil-resistant gloves for prolonged or repeated contact, apron

**EYE PROTECTION:** Safety goggles or glasses with splash shields.

### 9) ADDITIONAL INFORMATION:

Store indoors. If frozen, allow drum to thaw before using. Do not wear oil-contaminated clothing.

**SPECIAL PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:** Normal precautions common to good manufacturing practices should be followed in handling and storing. Store away from food.

Wash hands before eating, drinking or smoking. Use as directed.



36 Draffin Road, Hilton, NY 14468 Phone: 800-828-6351 585-392-3434 Fax: 585-392-2691  
EMERGENCY NUMBERS: CHEMTREC (800) 424-9300 Monroe Fluid Technology (800) 828-6351  
Website: <http://www.monroefluid.com>

## Material Safety Data Sheet

Product Name: **MONROE GRIND 60** Effective Date: 04/28/08 Date Printed: 06/10/08 Page: 3

REGULATORY INFORMATION: (Not meant to be all-inclusive--selected regulations represented).

NOTICE: The information herein is presented in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ from one location to another; it is the buyer's responsibility to ensure that its activities comply with federal, state or provincial, and local laws and regulations. See MSD Sheet for health and safety information.

TOXIC SUBSTANCES CONTROL ACT (TSCA):

The components of this product are listed on the TSCA inventory.

This product contains the toxic chemical or chemicals listed below, which are subject to the supplier notification requirements of Section 313 of the Superfund Amendments and Reauthorization Act of 1986 ("SARA") and the requirements of 40 CFR part 372. None

This notice must not be detached from the foregoing MSDS. If the MSDS is copied for any reason, including distribution, this notice must also be copied and accompany all redistributed MSDS'. Failure to do so may subject you to penalties under law.

This product contains the following ingredient(s) which are regulated under the Clean Air Act Section 112 hazardous air pollutants and is subject to all reporting requirements of CERCLA (Superfund). None.

10) TRANSPORTATION INFORMATION:

PROPER SHIPPING NAME: Non-regulated

DOT HAZARD CLASS: Non-regulated