



36 Draffin Road, Hilton, NY 14468 Phone: 800-828-6351 585-392-3434 Fax: 585-392-2691  
EMERGENCY NUMBERS: CHEMTREC (800) 424-9300 Monroe Fluid Technology (800) 828-6351  
Website: <http://www.monroefluid.com>

## Material Safety Data Sheet

Product Name: **ASTRO-CUT HIGH PRESSURE HD** Effective Date: 09/09/08 Date Printed: 09/11/08 Page: 1

### HMIS Rating:

Health: 1 Flammability: 0 Reactivity: 0 Personal Protection: B

### 1) INGREDIENTS: (% wt., unless otherwise noted)

CHEMICAL NAME	CAS #	%
Heavy Naphthenic, severely hydrotreated chemically neutralized oil	64742-52-5	20-30

This document is prepared pursuant to the OSHA Hazard Communication Standard (29 CFR 1910.1200). In addition, other substances not "Hazardous" per this OSHA Standard may be listed. Where proprietary ingredient shows, the identity may be made available as provided in this standard.

### 2) PHYSICAL DATA:

Boiling Point: 212° F.  
Vapor Pressure: 20  
Vapor Density: 1  
Solubility In Water: Soluble  
pH @ 5%: 9.1 ± 0.3  
Sp. Gravity: 1.02 ± 0.01  
Appearance: Clear amber liquid  
Odor: Bland

### 3) FIRE AND EXPLOSION HAZARD DATA:

Flash Point: None  
Method Used: PMCC

#### FLAMMABLE LIMITS:

LFL: None  
UFL: None

EXTINGUISHING MEDIA: Water spray, foam or carbon dioxide

FIRE & EXPLOSION HAZARDS: Intense heat can cause drums to rupture. Cool fire-exposed surfaces with water.

FIRE-FIGHTING EQUIPMENT: Treat as hot oil. Firefighters should wear NIOSH-approved self-contained breathing apparatus.

### 4) REACTIVITY DATA: Not Reactive

STABILITY: (conditions to avoid) Stable under normal storage and use conditions

INCOMPATIBILITY: (specific materials to avoid) Strong oxidizers

HAZARDOUS DECOMPOSITION PRODUCTS: Thermal decomposition may product asphyxiants.



36 Draffin Road, Hilton, NY 14468 Phone: 800-828-6351 585-392-3434 Fax: 585-392-2691  
EMERGENCY NUMBERS: CHEMTREC (800) 424-9300 Monroe Fluid Technology (800) 828-6351  
Website: <http://www.monroefluid.com>

## Material Safety Data Sheet

Product Name: **ASTRO-CUT HIGH PRESSURE HD** Effective Date: 09/09/08 Date Printed: 09/11/08 Page: 2

HAZARDOUS POLYMERIZATION: Will not occur

5) ENVIRONMENTAL AND DISPOSAL INFORMATION:

ACTION TO TAKE FOR SPILLS/LEAKS: Treat as oil spill. Contain spill, collect onto inert absorbent. Do not flush into drain or sewers. Place in a DOT container for disposal.

DISPOSAL METHOD: Dispose of in accordance with federal, state and local regulations.

6) HEALTH HAZARD DATA:

EYE: Contact may cause irritation.

SKIN CONTACT: Prolonged contact may cause irritation.

SKIN ABSORPTION: Not expected to be a probable route of exposure

INGESTION: May cause nausea

INHALATION: Inhalation of vapors or mist may be irritating to respiratory passages.

SYSTEMIC (other target organ) EFFECTS: None known

TERATOLOGY (birth defects): None known

REPRODUCTIVE EFFECTS: None known

MUTAGENICITY (effects on genetic material): None known

CARCINOGENICITY: IARC: NO NTP: NO OSHA: NO

7) FIRST AID:

EYES: Wash eyes thoroughly for at least 15 minutes. If irritation persists, contact a physician.

SKIN: Wash skin with soap and water.

INGESTION: Do not induce vomiting. Contact a physician.

INHALATION: If irritation occurs, remove to fresh air.

NOTE TO PHYSICIAN: Treatment of overexposure should be directed toward the control of symptoms and the clinical condition.

8) HANDLING PRECAUTIONS:

EXPOSURE GUIDELINE:

Heavy Naphthenic, severely hydrotreated chemically neutralized oil (Mist) OSHA PEL: 5 mg/m<sup>3</sup>

VENTILATION: General room ventilation should be satisfactory. Local exhaust ventilation may be necessary if misting is generated.

RESPIRATORY PROTECTION: None normally required. If mist is in excess of 5 mg/m<sup>3</sup>, use NIOSH-approved respirator.

SKIN PROTECTION: Protective rubber gloves

EYE PROTECTION: Safety glasses



36 Draffin Road, Hilton, NY 14468 Phone: 800-828-6351 585-392-3434 Fax: 585-392-2691  
EMERGENCY NUMBERS: CHEMTREC (800) 424-9300 Monroe Fluid Technology (800) 828-6351  
Website: <http://www.monroefluid.com>

## Material Safety Data Sheet

Product Name: **ASTRO-CUT HIGH PRESSURE HD** Effective Date: 09/09/08 Date Printed: 09/11/08 Page: 3

### 9) ADDITIONAL INFORMATION:

#### SPECIAL PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:

Product contains Amines. Sodium Nitrite or other nitrosating agents should not be added to this product. This step will prevent the formation of nitrosamines which are known to be animal carcinogens.

Normal precautions common to good manufacturing practices should be followed in handling and storing. Store away from food. Wash hands before eating, drinking or smoking. Use as directed.

REGULATORY INFORMATION: (Not meant to be all-inclusive--selected regulations represented). None

NOTICE: The information herein is presented in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ from one location to another; it is the buyer's responsibility to ensure that its activities comply with federal, state or provincial, and local laws and regulations. See MSD Sheet for health and safety information.

#### TOXIC SUBSTANCES CONTROL ACT (TSCA):

The components of this product are listed on the TSCA inventory.

This product contains the toxic chemical or chemicals listed below, which are subject to the supplier notification requirements of Section 313 of the Superfund Amendments and Reauthorization Act of 1986 ("SARA") and the requirements of 40 CFR part 372. None

This notice must not be detached from the foregoing MSDS. If the MSDS is copied for any reason, including distribution, this notice must also be copied and accompany all redistributed MSDS'. Failure to do so may subject you to penalties under law.

This product contains the following ingredient(s) which are regulated under the Clean Air Act Section 112 hazardous air pollutants and is subject to all reporting requirements of CERCLA (Superfund). None

### 10) TRANSPORTATION INFORMATION:

PROPER SHIPPING NAME: Non-regulated

DOT HAZARD CLASS: Non-regulated