



EMERGENCY NUMBERS: CHEMTREC (800) 424-9300  
Monroe Fluid Technology (800) 828-6351  
Website: <http://www.monroefluid.com>

36 Draffin Road,  
Hilton, NY 14468  
Phone: 800-828-6351 585-392-3434  
Fax: 585-392-2691

### Material Safety Data Sheet

Product Name: **MONROE CUT 100 CF** Effective Date: 05/06/11 Date Printed: 05/09/11 Page: 1

HMIS Rating:

Health: 1                      Flammability: 1                      Reactivity: 0                      Personal Protection: B

1) INGREDIENTS: (% wt., unless otherwise noted)

CHEMICAL NAME	CAS #	%
Severely Solvent refined light paraffinic residuum	64741-89-5	20-30
Hydrotreated Heavy Paraffinic distillate	64742-65-0	50-80

This document is prepared pursuant to the OSHA Hazard Communication Standard (29 CFR 1910.1200). In addition, other substances not "Hazardous" per this OSHA Standard may be listed. Where proprietary ingredient shows, the identity may be made available as provided in this standard.

2) PHYSICAL DATA:

Boiling Point:                      300° F.  
Vapor Pressure: @ 20° C.        Nil  
Vapor Density:                      > 1  
Solubility In Water:                Nil  
Specific Gravity:                    0.87 ± 0.02  
Appearance:                        Clear yellow liquid  
Odor:                                  Petroleum

3) FIRE AND EXPLOSION HAZARD DATA:

Flash Point:                        320° F.  
Method Used:                        COC

FLAMMABLE LIMITS

LFL:                                  Not determined  
UFL:                                  Not determined

EXTINGUISHING MEDIA: Water spray, foam or carbon dioxide

FIRE & EXPLOSION HAZARDS: Intense heat may cause drums to rupture. Cool fire-exposed containers with water. Treat as hot oil.

FIRE-FIGHTING EQUIPMENT: Firefighters should wear self-contained NIOSH-approved breathing apparatus.

4) REACTIVITY DATA:

STABILITY: (conditions to avoid) Stable under normal storage and use conditions

INCOMPATIBILITY: (specific materials to avoid) Strong oxidizers



EMERGENCY NUMBERS: CHEMTREC (800) 424-9300  
Monroe Fluid Technology (800) 828-6351  
Website: <http://www.monroefluid.com>

36 Draffin Road,  
Hilton, NY 14468  
Phone: 800-828-6351 585-392-3434  
Fax: 585-392-2691

## Material Safety Data Sheet

Product Name: **MONROE CUT 100 CF** Effective Date: 05/06/11 Date Printed: 05/09/11 Page: 2

HAZARDOUS DECOMPOSITION PRODUCTS: None currently known  
HAZARDOUS POLYMERIZATION: Will not occur

5) ENVIRONMENTAL AND DISPOSAL INFORMATION:

ACTION TO TAKE FOR SPILLS/LEAKS: Treat as oil spill. Contain spill, collect onto inert absorbent. Do not flush into drain or sewers. Place in a DOT container for disposal.  
DISPOSAL METHOD: Dispose of according to federal, state and local regulations.

6) HEALTH HAZARD DATA:

EYE: Contact may cause irritation.  
SKIN CONTACT: Prolonged or repeated contact may cause mild irritation of the skin.  
SKIN ABSORPTION: Not likely to occur  
INGESTION: Small amounts ingested incidental to normal handling are not likely to cause injury; larger amounts ingested may cause injury. Ingestion may cause nausea.  
INHALATION: Inhalation of vapors or mist may be irritating to respiratory passages.  
SYSTEMIC (other target organ) EFFECTS: None known  
TERATOLOGY (birth defects): No adverse effects expected  
REPRODUCTIVE EFFECTS: No adverse effects expected  
MUTAGENICITY (effects on genetic material): No adverse effects expected  
CARCINOGENICITY: IARC: NO NTP: NO OSHA: NO

7) FIRST AID:

EYES: Flush with large amounts of water for 15 minutes. If irritation persists, contact a physician.  
SKIN: Wash with soap and water.  
INGESTION: Do not induce vomiting. Consult a physician.  
INHALATION: Remove to fresh air. If symptoms persist, consult a physician.  
NOTE TO PHYSICIAN: Treatment of overexposure should be directed toward the control of symptoms and the clinical condition.

8) HANDLING PRECAUTIONS :

EXPOSURE GUIDELINE:  
Hydrotreated Heavy Paraffinic distillate and Severely Solvent refined light paraffinic residuum (as mist)  
OSHA PEL: 5 mg/m<sup>3</sup>  
VENTILATION: General room ventilation should be satisfactory. Local exhaust ventilation may be necessary if misting is generated.  
RESPIRATORY PROTECTION: None normally required. If mist is in excess of 5 mg/m<sup>3</sup>, use NIOSH-approved respirator.  
SKIN PROTECTION: Oil-resistant gloves  
EYE PROTECTION: Safety glasses



EMERGENCY NUMBERS: CHEMTREC (800) 424-9300  
Monroe Fluid Technology (800) 828-6351  
Website: <http://www.monroefluid.com>

36 Draffin Road,  
Hilton, NY 14468  
Phone: 800-828-6351 585-392-3434  
Fax: 585-392-2691

## Material Safety Data Sheet

Product Name: **MONROE CUT 100 CF** Effective Date: 05/06/11 Date Printed: 05/09/11 Page: 3

### 9) ADDITIONAL INFORMATION:

#### SPECIAL PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:

Launder contaminated clothes before reuse. Avoid prolonged breathing of mist and vapors. Use as directed. Normal precautions common to good manufacturing practices should be followed in handling and storing. Store away from food in a cool, dry area. Wash hands before eating, drinking or smoking and after handling.

REGULATORY INFORMATION: (Not meant to be all-inclusive--selected regulations represented).

NOTICE: The information herein is presented in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ from one location to another; it is the buyer's responsibility to ensure that its activities comply with federal, state or provincial, and local laws and regulations. See MSD Sheet for health and safety information.

#### TOXIC SUBSTANCES CONTROL ACT (TSCA):

The components of this product are listed on the TSCA inventory.

This product contains the toxic chemical or chemicals listed below, which are subject to the supplier notification requirements of Section 313 of the Superfund Amendments and Reauthorization Act of 1986 ("SARA") and the requirements of 40 CFR part 372. None

This notice must not be detached from the foregoing MSDS. If the MSDS is copied for any reason, including distribution, this notice must also be copied and accompany all redistributed MSDS'. Failure to do so may subject you to penalties under law.

This product contains the following ingredient(s) which are regulated under the Clean Air Act Section 112 hazardous air pollutants and is subject to all reporting requirements of CERCLA (Superfund). None

### 10) TRANSPORTATION INFORMATION:

PROPER SHIPPING NAME: Non-regulated

DOT HAZARD CLASS: Non-regulated