



36 Draffin Road Hilton, New York 14468
Phone: 585-392-3434
Toll Free: 1-800-828-6351
Sales: sales@monroefluid.com
Technical: technical@monroefluid.com

PM 100

OVERVIEW

PM 100 is a 100% synthetic alkane dust suppression fluid; engineered for today's most challenging intense-use dust control needs. This ultra-pure non-petroleum based fluid with GTL technology is made from clean, plentiful natural gas and is distinctively crystal clear, odorless and formulated to meet the highest standards of environmental efficacy.

PM 100 is distinctively crystal clear, odorless and is applied neat and simple, without the need for water dilution. This technologically advanced fluid does not cure, allowing for immediate use upon its application. Furthermore, **PM 100** has the unique ability to be reworked and still maintain its dust controlling properties. Any equipment capable of spraying water can safely be used to apply **PM 100**, without any mess or damage to the equipment. Even in freezing conditions, **PM 100** can still be applied when water soluble products cannot. **PM 100** can be applied to any soil or aggregate and effectively suppress dust all year round.

APPLICATIONS

PM 100 is normally applied topically to the surface of (dirt, aggregate, gravel, etc.) roads at an initial rate ranging from 30 to 60 ft²/gallon. Maintenance coats are normally applied at 30% of the initial application rate.

FEATURES & BENEFITS

- Mixes easily with water
- Non-leaching
- Non-hazardous per CCR Title 22 Hazardous Waste Characterization
- Cures to Transparent Flexible Film

RECOMMENDED CONCENTRATION

PM 100 is applied as received DO NOT dilute in fresh water.

TYPICAL PROPERTIES

Appearance-Concentrate	Colorless, odorless liquid
Specific Gravity @ 60°F	0.81 +/- 0.01
Lbs/Gallon	6.75 +/- 0.1
Viscosity, cst	17.0 @ 40°C
Flash point, (PMCC)	> 400 °F
Pour Point	-25 °F

PM 100 is available in pails, drums, IBCs and bulk.

Material Safety Data Sheets are available for all products.
All reasonable care has been taken to ensure
that the above information is accurate as of the date of printing.